Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	203	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:33
L2	442	283/61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:30
L3	584	283/62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:30
L4	1160	283/67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:30
L5	776	283/74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:30
L6	664	283/75	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:30
L7	1657	40/1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31
L8	776	40/1.5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31
L9	490	40/2.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31
L10	819	40/661	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31
L11	1571	206/449	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31

L12	493	206/555	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:31
L13	1397	206/459.5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L14	772	206/486	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L15	150	206/487	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L16	808	206/527	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L17	1655	206/232	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L18	860	206/37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L19	1001	206/38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L20	406	206/39	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:32
L21	5	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:05
L22	4	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:04

L23	3	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:04
L24	2	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:57
L25	3	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:03
L26	2	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:45
L27	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L28	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L29	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L30	2	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:45

L31	2	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:43
L32	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L33	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L34	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L35	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L36	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L37	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:35
L38	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:36

L39	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:36
L40	0	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and insert and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:36
L41	499	card and (hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:37
L42	797	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:37
L43	13	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:08
L44	8	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:07
L45	8	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:08
L46	15	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:10

L47	10	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:09
L48	0	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:37
L49	2	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:42
L50	8	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:07
L51	6	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:06
L52	3	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:03
L53	1	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:38
L54	1	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:39

L55	0	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:38
L56	0	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:38
L57	0	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:38
L58	6	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 10:05
L59	3	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:57
L60	2	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:41
L61	3	(hold$3 or retain$3) and (cavity or recess or hole or aperture or window or spac$3 or groove) and cover and secur$3 and (magnet$2 near strip$2) and transparent and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/24 09:57

L62	60	("0373597" | "2234942" | "2631368" | "2826959" | "3108853" | "3117608" | "3140883" | "3209648" | "3408347" | "3437548" | "3571957" | "3712707" | "3963309" | "4011857" | "4044889" | "4067947" | "4076384" | "4137863" | "4294782" | "4393610" | "4435912" | "4486363" | "4502236" | "4509823" | "4571497" | "4601861" | "4677285" | "4805680" | "4863026" | "4881334" | "5124089" | "5141677" | "5151582" | "5183597" | "5198168" | "5215334" | "5359684" | "5534101" | "5642228" | "5681871" | "5695346" | "5856661").PN. OR ("6176430").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 09:39
L63	28	("2552699" | "2581778" | "2589349" | "3212546" | "3262479" | "3302678" | "4037716" | "4236331" | "4366637").PN. OR ("4457425"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 09:41
L64	22	("20020129527" | "4095361" | "4145826" | "4182061" | "4212124" | "4531316" | "4704770" | "4736538" | "4829691" | "4878073" | "4979619" | "5092062" | "5097953" | "5224600" | "5249383" | "5259136" | "5358114" | "5522163" | "5651202" | "5979097" | "6032394" | "D375123").PN. OR ("6851556").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 09:45
L65	30	("4322001" | "4431114" | "4736840" | "4829691" | "4979619" | "5010673" | "5040671" | "5046616" | "5056251" | "5087145" | "5097953" | "5119574" | "5121563" | "5125505" | "5133450" | "5148618" | "5224600").PN. OR ("5522163"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 09:46